NVR Elite-C

Compact Linux Embedded Standalone

Support Megapixel and H.264 cameras

Manage 2 / 4 / 8 / 16 IP Camera

Multi-Platform Mobile Clients | Server-Client Architecture | Linux-Embedded | Easy Installation | Web-Based Live Viewer | CMS | H.264,MPEG4, M-JPEG,MxPEG | Intelligent Search | RAID 0,1,5, 5+spare,10 | PTZ Control | 128CH Remote Live View | Email Alert | Support POS | NTP Server Synchronization

Key Benefits

Stability and Reliability

NVR Elite-C is a linux-embedded system that is free from virus attack. With its server-client architecture, NVR Elite-C provides a most stable and high quality monitoring and recording performance. Not only does its software offer a top quality performance, but the hardware enhances stability as well by supporting 4 RAID levels, smart fan, HDD SMART, auto power on, UPS and much more.

Easy to Use

A top user-friendly system should combine fast and flexible configuration with easy operation. With a few simple steps for installation, the web-based management leads users to configure, monitor and playback video everywhere. UPnP search, auto camera detection and GUI schedule save setting-up time, while the easy drag and drop camera, auto scan, preset point patrolling, and multiple views offer users a prime monitoring experience.

Value-added Surveillance Features

There are some outstanding features included in the NVR Elite-C, one of which is mobile phone client. Users can check their live video wherever they want through iPhone, iPad, Android. Another feature is Point of Sale (POS). POS data is displayed on live screen of designated channels, and users can fast search POS transaction and related video records. Still another NVR Elite-C feature is the digital watermark on exported video and snapshots, which prevents data from tampered without awareness.

Key Features

- **Dual stream for managing bandwidth**
- **iPhone, iPad, Android, mobile clients**
- **Panomorph PTZ (360°)**
- **Web-based live viewer/ playback**
- **Online GUI recording schedule**
- **Up to 2/4 SATA HDD bays**
- **RAID 0,1,5,10**
- **Digital PTZ and multi-view**
- **Audio recording**
- **Real-time digital output and email alert**
- **Up to 128 CH remote liveview**
- **Playback with 5 intelligent search**
- **Point of Sale (POS)**
- **Digital watermark**
- **NTP server synchronization**
- **Manageable by Central Management Software**

Web-Based Liveview



Point of Sale (POS)

POS text overlay on live view video and recordings. All recorded POS transactions are searchable in the NVR Elite-C database.

Multiple View

with duplicating camera on screen and with different digital zoom image.

- Web-based management (Recommend on IE 8 and later)
- Up to 128 CH remote live display on multiple monitors
- Easy drag-and-drop camera on screen
- Camera PTZ integration
- Digital PTZ
- Auto scan
- Multiple views
- Preset point set, go and patrolling
- Support joystick
- System event popup
- Camera event on screen display and sound notification

Intelligent Playback



- Open record by time, graphic record, event log
- Multi-channel playback
- Playback system with 5 intelligent search
- Video enhancement
- POS search
- Support digital watermark on exported video or snapshot
- Evidence export
- Auto backup video to FTP

Video Enhancement

Fine-tune the image's visibility, sharpenness, brightness, contrast or even grey scale.

5 Intelligent Search Functions

Multiple Language Support

English, Japanese, Traditional Chinese, Spanish, Deutsch, Finnish, French, Hungarian, Italian, Russian, Czech, Korean, Polish, Dutch, Serbian, Swedish, Portuguese (Brazil)

Server-Client Architecture

- Linux Embedded – Free from PC crash and virus attack
- RAID 0,1,5,10, prevention of data loss
- Online GUI recording schedule
- Recording without PC turning on
- Support Megapixel Camera and H.264 Compression Format
- Support audio recording
- Camera I/O integration
- Real-time digital output, email and EverFoucs CMS alert
- Four kinds of user authorities: administrator, power user, user, and guest
- Log system
- Support Point of Sale (POS)



Linux-Embedded

Embedded Linux for high stability and free from virus attack

Dual Streams

Dual stream for managing bandwidth

Panomorph PTZ (360°)

Panomorph PTZ function can reduce the total cost by decreasing the number of IP cameras. Not only the original view, NVR Elite-C also supports PTZ, quad, and perimeter modes.

Web-Based Live Viewer

Users can login anytime anywhere via Internet Explorer and can login via four different user groups: administrator, power user, user, and guest.

Compatible with CMS

Ultimate central monitoring solution for grand scale projects and projects with multiple sites.

Multi-Platform Mobile Clients

iPhone, iPad, Android.

Intelligent Search

Search recorded video for 5 events including general motion, foreign object, missing object, loss focus and camera occlusion.

RAID 0,1,5,10

Support RAID 0,1,5 and 10 for maximum capacity or data protection.

PTZ Control

Software enables digital PTZ function. Physical PTZ control and preset/go functions are also available.

128CH Remote Live View

Monitor multiple servers (NVR, DVR, NDVR and NVR Elite-C) simultaneously in one single interface.

Email Alert

Notify users on camera and system event through sound, digital output, E-mail and EverFocus CMS alert.

Point of Sale (POS)

All recorded POS transactions are searchable in the NVR Elite-C database.



Model	NVR-202*	NVR-204	NVR-208*	NVR-216
Camera Licenses	1-2 (2 Bay 4 License Max)	1-4 (2 Bay 4 License Max)	1-8 (4 Bay 16 License Max)	1-16 (4 Bay 16 License Max)
Available Drive Bays (US only)	2xSATA II	2xSATA II	4xSATA II	4xSATA II
Available Hard Drive Config	1, 2, 6TB	1, 2, 6TB	1, 4, 8, 12TB	1, 4, 8, 12TB
RAID Level	RAID 0,1	RAID 0,1	RAID 0, 1, 5, 10	RAID 0, 1, 5, 10
I/O Interface	2xUSB 2.0 (for UPS)	2xUSB 2.0 (for UPS)	2xUSB 2.0 (for UPS), 1xeSATA (for DAS)	2xUSB 2.0 (for UPS), 1xeSATA (for DAS)
LAN Port (s)	1xGigabit RJ-45 ethernet port	1xGigabit RJ-45 ethernet port	2xGigabit RJ-45 ethernet ports	2xGigabit RJ-45 ethernet ports
Temperature	Operating : 0°C ~ 40°C			
Humidity	Operating : 10% ~ 85%			
Compression Format	MPEG4, M-JPEG, H264, MxPEG (Depends on IP camera)			
Recording Performance	Camera dependent Total bitrate: 40Mbps (Approx 60fps at 1.3M)	Camera dependent Total bitrate: 40Mbps (Approx 120fps at 1.3M)	Camera dependent Total bitrate: 80Mbps (Approx 240fps at 1.3M)	Camera dependent Total bitrate: 80Mbps (Approx 240fps at 1.3M)
Remote PC CPU	Intel Core 2 Duo, 2.6 GHz			
Remote PC RAM	1 GB			
User Interface	HTTP web browser - Internet Explorer 8 and later/ EverFocus client application program			
Recording Type	Continuous record, record by schedule, manual record, event trigger record, digital input trigger record			
Remote Live View Control	Live view, preset/ go, PTZ, remote I/O, snapshot, multi-view, digital PTZ, advanced E-Map, bandwidth monitoring			
Audio & Video Recording	Audio & video recording in synchronization			
POS (Point of Sale Interface)	Live view, record, playback, and search for every transaction**			
Auto Backup	Automatically backup the recorded video of the previous date to FTP			
Smart Search	General motion, missing object, foreign object, lose focus, camera occlusion			
Remote Client OS Platform	Windows XP (32-bit) / Vista (32-bit) / 7 (32 and 64-bit)			
Remote Live View Connections	Live view maximum 64 connections at the same time			
Mobile Client OS Platform	iPhone, iPad, Android			
IP Camera Brand Support	EverFocus, ACTi, ArecontVision, ARM, Axis, Basler, Brickcom, Bosch, Bullwerk, Centrix, Cisco, CNB, CORUM, Dahua, D-Link, Dynacolor, Digital Watch Dog, Eneo, Fine, Forenix, GE, Grandstream, Grundig, HIKVision, Honeywell, IQinVision, LevelOne, Lumenera, Linksys, Mobotix, Onvif, Panasonic, Pelco, Probe, PiXORD, Rover, Samsung, Santec, SANYO, Sunell, StarDot, Sony, Toshiba, Truen, UDP, Videosec, VIVOTEK, Vista, Zavio			

Part Number	Description
NVR-202/2T	2 Ch, 2 TB Compact NVR
NVR-202/4T	2 Ch, 4 TB Compact NVR
NVR-202/6T	2 Ch, 6 TB Compact NVR
NVR-204/2T	4 Ch, 2 TB Compact NVR
NVR-204/4T	4 Ch, 4 TB Compact NVR
NVR-204/6T	4 Ch, 6 TB Compact NVR
NVR-208/4T	8 Ch, 4 TB Compact NVR
NVR-208/8T	8 Ch, 8 TB Compact NVR
NVR-208/12T	8 Ch, 12 TB Compact NVR
NVR-216/4T	16 Ch, 4 TB Compact NVR
NVR-216/8T	16 Ch, 8 TB Compact NVR
NVR-216/12T	16 Ch, 12 TB Compact NVR

*Additional licenses can be purchased to maximize hardware potential
**May require additional hardware

Supports EverFocus IP Cameras EverFocus®

PLUS an additional 48 brands of IP cameras and 1330 models!

About EverFocus

EverFocus Electronics Corp. is a leading manufacturer of CCTV cameras, DVRs, access control systems and other CCTV and access control peripherals. With offices located around the world including the U.S.A., U.K., Germany, China, India, Japan and Taiwan, EverFocus provides quality products, highly skilled technical support, project design consultation, various dealer/distributor programs, educational trainings and our new financing program to meet the demands of our customers worldwide. We believe the key component to success lies in the development and quality of our products and excellent customer service. EverFocus is system and solutions provider that is able to meet the needs of any size company.

EverFocus: CA
1801 Highland Ave.
Unit A
Duarate, CA 91010
(626) 844-8888

EverFocus: NY
415 Oser Ave.
Unit S
Hauppauge, NY 11788
(631) 436-5070